



Product Service

CERTIFICATE

No. Z2 066213 0103 Rev. 00

Holder of Certificate: **Tiptiptap OÜ**
Veetorni 9, Jüri alevik, Rae vald
75301 Harjumaa
ESTONIA

Certification Mark:




Product: **Playground equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.: 713131318-02

Valid until: 2023-07-24

Date, 2018-08-02


(Michael Weber)



Product Service

CERTIFICATE

No. Z2 066213 0103 Rev. 00

Model(s):

RS100, RS101, RS103, RS105, RS106,
RS107, RS108, RS110, RS110-2, RS110-2 L,
RS111, RS112, RS112-1, RS102, RS115, RS116,
RS116-1, RS117, RS118, RS119, RS120, RS121,
RS122, RS123, RS124, RS125, RS125S, RS127,
RS128, RS201, RS210, RS211, RS212, RS213,
RS310, Z201

Climbing playing combination:


Posts 98x98 mm: laminated wood, aluminium, galvanized steel.

Platforms: laminated wood, hot spray lamination.

Panels and walls: plywood/ HDPE plastic.

Pole anchor: galvanized steel

Model	length	width	height
RS100	3,17m	1,63m	2,15m
RS101	0,10m	0,95m	1,77m
RS102	1,63m	0,10m	2,15m
RS103	1,63m	1,63m	2,15m
RS105	2,80m	1,15m	1,30m
RS106	2,59m	0,95m	2,15m
RS107	2,59m	0,95m	2,15m
RS108	4,18m	2,24m	2,15m
RS110	2,27m	1,99m	2,42m
RS110-2	2,65m	2,33m	2,42m
RS110-2 L	2,65m	2,33m	1,70m
RS111	2,53m	0,99m	2,20m
RS112	2,55m	1,00m	2,22m
RS112-1	0,99m	0,95m	2,22m
RS102	1,63m	0,10m	2,15m
RS115	1,64m	1,64m	2,16m
RS116	1,64m	1,64m	2,16m
RS116-1	2,20m	2,20m	2,16m
RS117	3,54m	0,95m	2,15m
RS118	2,46m	1,64m	2,16m
RS119	3,14m	1,64m	2,16m
RS120	2,82m	2,53m	2,16m
RS121	6,25m	3,14m	2,15m
RS122	3,54m	0,95m	2,41m
RS123	4,02m	2,08m	2,16m
RS124	1,70m	1,70m	1,62m
RS125	6,52m	4,34m	2,16m
RS125S	6,52m	4,34m	2,16m


TUV®



Product Service

CERTIFICATE

No. Z2 066213 0103 Rev. 00

RS127	4,79m	4,48m	2,16m
RS128	7,71m	7,71m	2,15m
RS201	1,50m	0,90m	1,30m
RS210	2,79m	2,37m	2,41m
RS211	3,79m	3,60m	2,41m
RS212	0,95m	0,95m	1,85m
RS213	7,59m	5,15m	2,17m
RS310	7,46m	6,43m	2,1m
Z201	3,52m	0,95m	2,41m

**Tested
according to:**

EN 1176-1:2017

**Production
Facility(ies):**

066213